Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 06/04/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form · Mixture

: HAND SANITIZING SPRAY Product name

Type of product Cosmetic product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Use of the substance/mixture : Sanitary Spray

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

AheadSolutions (UK) Ltd 365 Haslingden Old Road

BB4 8RR Rossendale - United Kingdom

T +44(0)1706 602008

info@aheadsolutions.co.uk

1.4. Emergency telephone number

Emergency number : +44(0)1706 602008

Office hours only

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

This substance/mixture is classified in line with EU Cosmetics Regulation 1223/2009 and is therefore exempt from the Classification Labelling and Packaging Regulation (EC) No 1272/2008. It is does however meet the criteria for Flammability as laid down in EU Directive 1272/2008/EC. . Highly flammable liquid and vapour.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Precautionary statements (CLP)

P233 - Keep container tightly closed.

P370+P378 - In case of fire: Use carbon dioxide (CO2), alcohol resistant foam to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

FUH-statements : EUH208 - Contains TEA TREE OIL. May produce an allergic reaction.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol; ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	70 – 80	Flam. Liq. 2, H225 Eye Irrit. 2, H319
METHANOL	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	1 – 10	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
allyl alcohol	(CAS-No.) 107-18-6 (EC-No.) 203-470-7 (EC Index-No.) 603-015-00-6	< 1	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Aquatic Acute 1, H400
TEA TREE OIL	(CAS-No.) 68647-73-4	0.1 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
QUATERNARY AMMONIUM COMPOUNDS	(CAS-No.) 68424-85-1 (EC-No.) 270-325-2	0.1 – 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Aquatic Acute 1, H400

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
METHANOL	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	(3 ≤C < 10) STOT SE 2, H371 (10 ≤C < 100) STOT SE 1, H370

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general
First-aid measures after inhalation

: If medical advice is needed, have product container or label at hand.

: Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after skin contact : Not expected to present a significant hazard under anticipated conditions of normal use.

Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

use.

Symptoms/effects after eye contact : May cause eye irritation.

Symptoms/effects after ingestion : May cause irritation to the digestive tract. Ingestion may cause nausea and vomiting.

Drunkenness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Use extinguishing

media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet to extinguish.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour. Vapours are heavier than air and may travel

considerable distance to an ignition source and flash back to source of vapours.

Explosion hazard : In use, may form flammable/explosive vapour-air mixture.

Reactivity in case of fire : None known.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Stop leak if safe to do so. Evacuate area.

Firefighting instructions : Evacuate the danger area. Exercise caution when fighting any chemical fire. Only allow

access to duly equipped emergency personnel. Stop leaks if it can be done without personal risk. Cover any spillage by a product resistant foam to avoid the formation of flammable

vapors.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : Approach the hazard downwind. Disperse vapours with sprayed water. Cool containers

exposed to fire. Collect contaminated extinction water separately and do not allow it to enter

pipes or sewers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep away from sources of ignition. Ensure adequate ventilation. Avoid contact with eyes.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment. For further information refer to section

8: "Exposure controls/personal protection".

Emergency procedures : Evacuate area. Eliminate all ignition sources if safe to do so. Stop leak if safe to do so.

Ventilate spillage area. Avoid contact with eyes.

6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment. For further information refer to section

8: "Exposure controls/personal protection".

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Emergency procedures

: Evacuate unnecessary personnel. Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Ventilate area. Avoid contact with eyes.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment

: Cover any spillage by a product resistant foam to avoid the formation of flammable vapors. Confine the spillage for collection or absorption with appropriate material. Stop leaks if it can be done without personal risk.

Methods for cleaning up

: Clean up any spills as soon as possible, using an absorbent material to collect it. Absorb or soak up liquid with sand, earth or any material which limits any spread of the liquid. Do not absorb in sawdust, paper, cloth or other combustible absorbent materials. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Wash the spillage site with large amounts of water. This material and its container must be disposed of in a safe way, and as per local legislation.

Other information : Dispose in a safe manner in accordance with local/national regulations.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Flammable vapours may accumulate in the container.

Precautions for safe handling

Ensure there is adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with eyes. Keep container

closed when not in use.

Do not smoke.

Hygiene measures

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a cool, well-ventilated place. Keep container closed when not in use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible products

: Oxidising agents. Strong acids. Strong bases.

Storage area

: Store in a well-ventilated place. Keep cool. Protect from sunlight. Keep away from ignition sources

7.3. Specific end use(s)

Washing and cleaning products (including solvent based products).

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol; ethyl alcohol (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (mg/m³)	1920 mg/m³
WEL TWA (ppm)	1000 ppm
Regulatory reference	EH40. HSE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

METHANOL (67-56-1)		
United Kingdom - Occupational Exposure Limits		
Local name	Methanol	
WEL TWA (mg/m³)	266 mg/m³	
WEL TWA (ppm)	200 ppm	
WEL STEL (mg/m³)	333 mg/m³	
WEL STEL (ppm)	250 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40. HSE	

allyl alcohol (107-18-6)		
United Kingdom - Occupational Exposure Limits		
Local name	Allyl alcohol	
WEL TWA (mg/m³)	4.8 mg/m³	
WEL TWA (ppm)	2 ppm	
WEL STEL (mg/m³)	9.7 mg/m³	
WEL STEL (ppm)	4 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40. HSE	

8.2. Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation.

Personal protective equipment:

Not required for normal conditions of use.

Not required for normal conditions of use

Hand protection:

Not required for normal conditions of use

Eye protection:

Not required for normal conditions of use

Skin and body protection:

Not required for normal conditions of use

Respiratory protection:

No respiratory protection needed under normal use conditions

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: No data available

Consumer exposure controls:

Observe the label precautions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Odour : Alcoholic.
Odour threshold : No data available
pH : No data available

Melting point : 0

Relative evaporation rate (butylacetate=1)

Freezing point : Not applicable
Boiling point : 80 °C
Flash point : 22 °C
Auto-ignition temperature : 460

: No data available Decomposition temperature Flammability (solid, gas) : Flammable solid. Vapour pressure : No data available : No data available. Relative vapour density at 20 °C Relative density : No data available Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available No data available Viscosity, kinematic No data available Viscosity, dynamic Explosive properties Product is not explosive.

Oxidising properties : Non oxidizing. Explosive limits : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

TEA TREE OIL (68647-73-4)

LD50 oral rat 4400 mg/kg

ethanol; ethyl alcohol (64-17-5)	
LD50 oral	10470
LD50 dermal	15800
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999

METHANOL (67-56-1)	
LD50 oral	5628
LD50 dermal	15800
LC50 inhalation rat (Dust/Mist - mg/l/4h)	85000

QUATERNARY AMMONIUM COMPOUNDS (68424-85-1) LD50 oral rat 398 mg/kg LD50 dermal rat 800 – 1420 mg/kg

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified. STOT-repeated exposure : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Aspiration hazard

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Ecology - water : No data available on ecotoxicity.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

: Not classified

: Not classified

HAND SANITIZING SPRAY LC50 fish 1 10000 mg/l EC50 other aquatic organisms 1 7600 mg/l

06/04/2020 (Version: 1.0) EN (English) 7/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethanol; ethyl alcohol (64-17-5)	
LC50 fish 1	14200
EC50 other aquatic organisms 1	5012 waterflea
EC50 other aquatic organisms 2	275

METHANOL (67-56-1)	
LC50 fish 1	10800
EC50 other aquatic organisms 1	10000 waterflea
EC50 other aquatic organisms 2	12000

QUATERNARY AMMONIUM COMPOUNDS (68424-85-1)	
LC50 fish 1	0.85 mg/l
EC50 other aquatic organisms 1	0.02 mg/l

12.2. Persistence and degradability

HAND SANITIZING SPRAY

Persistence and degradability Not biodegradable.

12.3. Bioaccumulative potential

HAND SANITIZING SPRAY

Bioaccumulative potential No bioaccumulation.

ethanol; ethyl alcohol (64-17-5)

Partition coefficient n-octanol/water (Log Pow) -0.32

METHANOL (67-56-1)

Partition coefficient n-octanol/water (Log Pow) -0.7

12.4. Mobility in soil

HAND SANITIZING SPRAY

Ecology - soil No data available.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : No known effects from this product.

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

: Disposal must be done according to official regulations.

Waste treatment methods

 $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

06/04/2020 (Version: 1.0) EN (English) 8/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : UN 1170

 UN-No. (IMDG)
 : UN 1170

 UN-No. (IATA)
 : UN 1170

 UN-No. (ADN)
 : UN 1170

 UN-No. (RID)
 : UN 1170

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IMDG) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper Shipping Name (IATA) : Ethanol solution

Proper Shipping Name (ADN) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (RID) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport document description (ADR) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E) Transport document description (IMDG) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

Transport document description (IATA) : UN 1170 Ethanol solution, 3, II

Transport document description (ADN) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II
Transport document description (RID) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Danger labels (IATA) : 3



ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3

:



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 144, 601
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20
Hazard identification number (Kemler No.) : 33

Hazard identification number (Kemler No.) : 33
Orange plates :

Tunnel restriction code (ADR) : D/E

EAC code

Transport by sea

Special provisions (IMDG) : 144 Limited quantities (IMDG) 1 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) P001 IBC packing instructions (IMDG) IBC02 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1 EmS-No. (Fire) F-E : S-D EmS-No. (Spillage) Stowage category (IMDG) Α

Properties and observations (IMDG) : Colourless, volatile liquids.Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to

19% Miscible with water.

33

: •2YE

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L

Special provisions (IATA) : A3, A58, A180

ERG code (IATA) : 3L

Inland waterway transport

: F1 Classification code (ADN) Special provisions (ADN) : 144, 601 Limited quantities (ADN) : 1 L Excepted quantities (ADN) : E2 Carriage permitted (ADN) Т Equipment required (ADN) : PP, EX, A Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 144, 601
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Seveso Directive: 2012/18/EU (Seveso III)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains TEA TREE OIL. May produce an allergic reaction.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.